

# INDEX MAPS.

## T.23 N. R.3 E. 2<sup>d</sup> Mer.

	68	69	69	70	71	No. 6.		72				
75	6	116	5	105	4	98	3	91	2	83	1	67
	116		115		105		97		98		82	
74	7	114	8	104	9	96	10	90	11	81	12	67
	114		113		103		96		89		81	
74	18	112	17	103	16	95	15	88	14	80	13	67
	111		111		102		94		88 <sub>119</sub>		79	
73	19	110	20	101	21	94	22	87	23	78	24	66
	109		109		101		93		86		78	
73	30	108	29	100	28	93	27	85	26	77	25	66
	107		107		99		92		84		77	
72	31	106	32	99	33	91	34	84	35	76	36	65
	63		63		63		64		64		65	

## T.24 N. R.3 E. 2<sup>d</sup> Mer.

Clam No. 6. Page 178

130	130	131	131	132	132	
136 6	175 5	166 4	158 3	151 2	144 1	129
<del>174</del>	<del>175</del>	<del>165</del>	<del>158</del>	<del>151</del>	<del>143</del>	
135 7	174 8	164 9	157 10	150 11	143 12	129
<del>172</del>	<del>173</del>	<del>164</del>	<del>156</del>	<del>149</del>	<del>142</del>	
134 18	172 17	163 16	156 15	149 14	141 13	128
<del>171</del>	<del>170</del>	<del>162</del>	<del>155</del>	<del>148</del>	<del>141</del>	
134 19	170 20	162 21	154 22	147 23	140 24	128
<del>169</del>	<del>169</del>	<del>161</del>	<del>154</del>	<del>147</del>	<del>139</del>	
133 30	168 29	161 28	153 27	146 26	138 25	127
<del>168</del>	<del>167</del>	<del>160</del>	<del>152</del>	<del>145</del>	<del>136</del>	
133 31	166 32	159 33	152 34	145 35	137 36	127
123	123	124	125	125	No. 6.	126

The figures on the lines refer to the page.

123,

Township No. 24 N. Range No. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. 66.

South Boundary.

Var. 44° 50' E.

N. 89° 30' E. On S. Boundary of Sec. 31.

Town Cor. in Cross Roads

- 5.50 Ascend Bank 50 ft. high
- 7.50 Rapid Stream 10 lbs. wide co. S.
- 10.00 Ascend Bank 50 ft. high N. & S.
- 30.00 Clear field N. & S. 1.00 South
- 34.40 a Beech 10 in. diam.
- 47.75 Set 2<sup>d</sup> Sec. post & Clear Road N. E. pr. wh.  
an Elm 4 in. diam. N. 20 E. 25 lbs. &  
a Buckeye 6 " " N. 42 W. 21 "
- 48.00 Enter field S. side of do.
- 60.50 Clear do N. & S.
- 61.00 Road E. N. E. & W. N. W.
- 63.00 a Stream 10 lbs. wide co. Southw. by
- 68.10 a Beech 12 in. diam.
- 77.50 Descend slightly to Creek Bottom N. & S.
- 87.75 Set post Cor. to Sec. 31 & 32 pr. wh.  
a Beech 18 in. diam. N. 54 W. 52 lbs. &  
a do 18 " " N. 62 E. 79 "

Land gently rolling fine rate  
Beech, B. Walnut, Oak, W. Ash, Sycam;  
Buckeye, Ironwood &c

---

N. 89° 30' E. On S. Boundary of Sec. 32

- 2.00 Enter field N. side of do. Houn 50<sup>th</sup> S. of Line
- 13.00 Clear field N. & S.
- 15.00 a Road N. & S.
- 23.50 a Stream 10 lbs. wide co. Southw. by
- 27.70 a Buckeye 15 in. diam.
- 28.10 Wild Cat 1.50 co. South - Rapid and  
shallow, gravelly Bottom
- 32.00 Same 1.50 wide co. Northw. by
- 40.00 Set 2<sup>d</sup> Sec. post pr. wh.  
a Buckeye 10 in. diam N 50 W. 41 lbs. dis.



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
chs lks.

a Hackberry 12 in. diam. N 15 E. 45 lks. dis.  
45.70 Wild Cat Creek 150 wide co. Southwly  
and. Ascend 20 ft. from Bottom N. & S.

50.00 a Road N. & S.

51.14 a Beech 18 in. diam.

57.00 To Creek Bottoms - slight descent

80.00 Set post Cor. to Sec. 32 & 33 p. wth.

a Buckeye 10 in. diam. N. 34 E. 15 lks. &

a Do 12 " " " N. 58 E. 22 "

Land mostly very rich. Creek  
Bottoms - Buckeye, B. Walnut, Sycamore,  
Buckeye, Sycam. N. & Blue Ash. Butternut  
& - Grape vines & Briars

N. 89.30 E. On S. Boundary of Sec. 33.

8.10 Wild Cat Creek 100 wide co. North.

Deep & shallow - with stony Bottom

12.31 a W. Oak 10 in. diam. and Ascend  
from Creek Bottoms N. & S. 20 ft.

36.00 Ascend Bank 40 ft. N. & S. to Creek  
Bottoms

40.00 Set 2<sup>nd</sup> Sec. post p. wth.

a W. Ash 15 in. diam. N. 24 E. 17 lks. &

a Do 6 " " " N. 82 E. 20 "

45.51 a Butternut 6 " " "

58.00 Ascend Bank 50 ft. N. & S.

64.00 Ascend Bank 50 ft. N. & S.

72.00 Ascend Bank 50 " N. & S. E.

74.50 a Trail N. & S.

80.00 Set post Cor. to Sec. 33 & 34 p. wth.

a Sugar 15 in. diam. N. 21 E. 40 lks. &

a Do 10 " " " N. 22 E. 46 "

Land mostly Creek Bottoms  
very rich - Buckeye, Hackberry N. & Blue  
Ash, Maple, Butternut, B. Walnut, Sycam.  
N. Beech. Improv. &c. On high Land

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Ch. lks.

Beech, Sugar, Hickory, White wood  
Ironwood, Oak &c

- 189.30' E. On S. Boundary of Sec. 34  
 .60 Enter field N. & S. 3.00 each way  
 11.50 Leave field N. & S.  
 13.56 a Sugar 15 in. diam.  
 14.00 Bed of stream 10 lks. wide co. Southw. by  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 an Ironwood 8 in. diam. N. 12 W. 6 lks. &  
 a Beech 6 " " " S. 45 E. 12 "  
 44.00 Descend 50 feet to Creek Bottom N. & S.  
 48.00 a Stream 20 lks. wide co. Southw. sluggish  
 48.78 a Beech 15 in. diam.  
 65.00 Wild Cat Creek 1.50 co. S. W. Rapida  
 Gravelly Bottom  
 80.50 Set post cor. to Sec. 34 & 35 p. wh.  
 a Sugar 10 in. diam. N. 42 W. 39 lks.  
 a Buckeye 10 " " " N. 35 E. 11 "

Land first half mile low rich  
 Upland, timbered with Beech, Sugar,  
 Syc. Ironwood, M. & M. Oak, B. Walnut,  
 Hickory, &c. Last half mile rich Creek  
 Bottoms, timbered with Buckeye, Hack-  
 berry, Maple, Elm, Butternut, W. Beech &c.  
 Grape, Vines, Briars -

- 189.30' E. On S. Boundary of Sec. 35  
 1.50 Wild Cat Creek W. by N.  
 8.00 Leave the Creek; Right Bank; Creek  
 1.20 wide. Shallow & rapia. with flat  
 Limestone Bottom  
 9.44 a Buckeye 12 in. diam.  
 18.50 a Road W. by N.  
 21.50 a Stream 10 lks. wide co. N. & W.  
 25.00 a Road W. by N. of Ascena slightly from

126.

T. 24. N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. lks.

## Creek Bottoms

32.50 Limestone ledge 100 North

35.00 a House 60 lks. South

40.00 Set 2<sup>nd</sup> Sec. post p. wh.a Birch 6 in. diam. N. 15 W. 29 lks. &  
an Elm 6 " " S. 38 W. 25 "

50.18 an. Elm 10 " "

55.00 Enter field N. & S. near S. Edge, and  
extends about 7.00 North

62.00 Leave do N. &amp; S.

62.35 To W. line of Float Claim N. 6, and  
Set post from which

a Buckeye 6 in. diam. N. 43 W. 45 lks.

a Birch 10 " " N. 16 W. 60 "

Measured  $\frac{1}{2}$  E. along  
Westerly line of Claim N. 6. 17.21 to S. W. Cor.64.00 to Wild Cat Creek 1.50 wide co. South  
rapid & shallow - with stony bottom -

70.00 Mill Race 20 lks. wide co. S. W.

72.00 Saw Mill 3.00 North } in float

74.00 Enter Field N. &amp; S.

80.00 Cor. to Sec. 35 &amp; 36 in field

Land here for rate B. Walnut  
Buckeye, Sycamore, Gum, Mulberry,  
Hackberry, Birch, Sugar Gum, Ironwood, etc.

N. 89.30 E. On S. Boundary of Sec. 36.

5.00 Leave field N. &amp; S. } in Float Claim

40.00 2<sup>nd</sup> post } mid blaza

48.50 Road N. &amp; S.

71.50 Road N. &amp; S.

72.00 To E. side of Float } Set post p. wh.

a Birch 12 in. diam. N. 60 E. 64 lks. &amp;

a do 10 " " S. 6 E. 44 "

Measured 1.10 W. along E. side of  
Float N. 6. 17.96 to S. E. Cor. of do.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
ch. lks.

80.00 Set post Cor. to Towns 23x24 North  
Ranges 3x4 East pr. wh.  
a Beech 15 in. diam. to 4.19 E. 35 lks.  
a Do 8 " " " N 41 W. 25 "  
Land very rich - Beech,  
B. Walnut, Sugar, Ironw. Cherry,  
White Wood, Sycamore - Nov. 9, 1846 -

East Boundary.

Var. 4:50' E.

North On E. Boundary of Sec. 36  
8.40 To Hardins Ten. p. j. Town Cor.  
18.37 a Beech 12 in. diam.  
25.00 Enter field E. & W.  
29.00 Descend to Creek Bottom 20 feet E. & W.  
35.00 to Line of Claim N. 6 of set post pr. wh.  
a Hackberry 20 in. diam. N. 31 E. 56 lks. &  
a Buckeye 6 " " N. 75 W. 27 "  
and leave field Measure  
N. 15 1/2 E. 89.06 to N. E. Cor. of Claim  
72.30 to N. side of Claim N. 6 of set post pr. wh.  
a Beech 20 in. diam. to N. 70 E. 53 lks. dis.  
a Do 10 " " " N. 79 W. 68 " "  
Measure E. 10.90 to N. E. Cor.  
of Claim N. 6.  
80.00 Set post Cor. to Sec. 25x36 pr. wh.  
a B. Oak 6 in. diam. to N. 57 W. 23 lks. &  
a Beech 10 " " " 4.37 W. 50 "  
Land fine 35.00 rolling and  
Creek Bottom - rich, timbered with Elm,  
Beech, Sugar, B. Walnut, Sycam. Ironw.  
White Wood, Buckeye, Hackberry, N. Beech.

North On E. Boundary of Sec. 25  
2.00 Road to Kokomo N. 4 W.  
23.35 an Elm 12 in. diam.



S. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
chs. No.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 15 in. diam. B. 822 E. 36 lbs. &  
a Do 12 " " " N. 1/2 E. 19 "

56.00 Enter Swamp E. & W.

62.65 a Maple 8 in. diam.

75.00 Leave Swamp E. & W.

80.00 Set post Cor. to Sec. 24 & 25 p. wh.  
a Beech 12 in. diam. N. 75 W. 35 lbs. &  
a Do 12 " " " 8.20 W. 9 "

Land level good 2<sup>nd</sup> Rate -  
Clay soil. Beech, Sugar, W. B. Oak,  
Ehm. Maple, Ironw. W. Wood, - with P.  
Ash, Thorns & Spice bush  
In Swamp, Willow, Maple, Brins &c.

North On E. Boundary of Sec. 24

16.35 a B. Oak 30 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 15 in. diam. S. 21 E. 24 lbs. &

a Do 12 " " " N. 76 W. 33 "

51.86 a Do 12 " "

75.00 Enter Swamp N. W. & E.

80.00 Set post Cor. to Sec. 13 & 24 p. wh.

a W. Ash 12 in. diam. N. 46 W. 28 lbs. &

a Willow 8 " " " 8.69 W. 23 "

Land level Rich fine rate  
Beech, Hickory, Ehm. Gum, Ironwood  
White Wood, W. B. Oak &c. In Swamp  
Spice bush, P. Ash, Willow, Thorns Brins &c.

Nov. 9. 1846

North On E. Boundary of Sec. 13.

4.00 Leave Sup. E. & W. Enter Low Land

29.04 a Sycamore 18 in. diam

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a B. Ash 8 in. diam. B. 9.55 E. 18 lbs. dia.



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Ch. Lk.

a Spruce 8 in. diam. B. N. 69 W. 12 Lk. ds.  
53.10 a W. Wood 30 " " Near Low Land E. & W.  
and enter Old Windfall E. & W.  
80.00 Set for Cor. to Sec. 12 & 13 pr. wh.  
a Beech 12 in. diam. B. N. 69 W. 55 Lk. &  
a Do 12 " " " N. 68 W. 30 "  
Land here & rather wet. Rich-  
some Old Windfall. grown up with  
Briers, Vines, Thorns, B. Ash, Maple,  
Sycamore, Oak &c -

North On E. Boundary of Sec. 12

1475 a W. Oak 36 in. diam.  
17.00 Near Windfall S. E. & N. W.  
40.00 Set 2<sup>nd</sup> Sec. for 12 pr. wh.  
a Sugar 15 in. diam. B. N. 79 E. 15 Lk. &  
a Beech 12 " " " N. 69 W. 33 "  
59.37 a W. Ash 10 " " "  
80.00 Set for Cor. to Sec. 12 & 12 pr. wh.  
an Elm 10 in. diam. B. N. 70 W. 38 Lk. &  
a W. Oak 24 " " " S. 21 W. 43 "  
Land here & rich. W. B. Oak,  
Elm, Ironw<sup>d</sup>, Sugar, Hick<sup>y</sup>, W. Ash  
White wood, Boxwood, Cherry &c  
In Windfall Briers, Thorns &c

North On E. Boundary of Sec. 1

18.40 a White wood 30 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. for 12 pr. wh.  
a Beech 15 in. diam. B. N. 21 E. 33 Lk.  
a Do 12 " " " S. 73 W. 61 "  
45.00 a Trail N. N. W.  
47.88 a Beech 10 in. diam.  
54.50 a Run 16 Lk. wide cor. N. W.  
75.00 a Road S. S. W.  
78.08 Intermittent N. Boundary. as previously

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
cho. Mo.

Established

Land level first rate  
Beech, Sugar, Lymn, Ironw. Hicky,  
Whitewood - P. Ash. Spruce  
Note by Recorder  
See N. Boundary for witnesses

North Boundary.

Var. 5° East  
N. 89.40 E. On S. Boundary of Sec. 31. T. 25 N. R. 3 E.  
Put on bearings - Beech 15 1/2 E. 59 W. &  
Do 12 N. 8 E. 54 "

10.53 a Sycamore 20 in diam.

44.90 Set 2<sup>nd</sup> Sec. post pr. wh.

a Beech 15 in. diam. to N. 31 W. 28 W. &

a Do 14 " " " N. 79 E. 49 "

54.53 a Lymn 18 " "

84.90 Set post cor. to Sec. 31 & 32 pr. wh.

a Beech 12 in. diam. to N. 85 W. 39 W.

a Do 7 " " " N. 19 E. 34 "

Land gently rolling first  
rate - Sugar, Beech, Lymn, Ironw. Elm.  
Sycamore, W. & B. Oak. - not much  
underbrush

N. 89.40 E. On S. Boundary of Sec. 32. T. 25 N. R. 3 E.

8.80 a W. Oak 12 in. diam.

10.00 Enter Swale N. & S.

16.00 Leave Do N. & S.

40.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a Beech 16 in. diam. to N. 54 W. 21 W.

a Sugar 10 " " " N. 74 E. 27 "

54.75 an Elm. 8 " "

57.00 Enter Marsh N. & S.

80.00 Set post cor. to Sec. 32 & 33 in Marsh.  
an Aspen 7 in. diam. to N. 82 1/2 W. 12.00 dis.

T. 24 N. R. 3 E. 2<sup>1/2</sup> Mer. Indiana,  
chs. lks.

No other

Land except swampy Marsh  
same as last mile. Marsh wet  
most of the year

N. 89.40 E. Q. 11 S. Boundary of Sec. 33 & 25 N. R. 3 E.

27.00 Clear Marsh N. & S.

29.50 a Road N. & S.

40.00 Set 2<sup>d</sup> Sec. post in Swale p. wh.  
a W. Ash 16 in. diam. N. 54 W. 33 lks.  
a Do 6 " " N. 21 E. 33 "

44.00 Clear Swale or Swamp N. & S.

54.10 an Elm 15 in. diam.

80.00 Set post Cor. to Sec. 33 & 34 p. wh.  
a Beech 12 in. diam. N. 62 W. 50 lks.  
a Do 14 " " N. 53 E. 32 "

Land here first rate. Beech,  
Elm, Sugar, Sycm, Ironw<sup>d</sup>, Oak, Hick<sup>y</sup>,  
Sycamore, W. B. Ash, & Spruce & P. Ash

N. 89.40 E. Q. 11 S. Boundary of Sec. 34 & 25 N. R. 3 E.

17.63 a W. Ash 12 in. diam.

40.00 Set 2<sup>d</sup> Sec. post p. wh.

a Beech 15 in. diam. N. 54 E. 34 lks.  
a Do 15 " " N. 68 W. 40 "

40.50 Fence 50 lks. South

44.00 Spring Brook 4 lks. wide co. North only

49.00 Clear Fence 50 lks. South

55.25 a Beech 10 in. diam.

62.00 Enter Old Windfall N. & S. co. N. W. & S. E.

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a B. Ash 6 in. diam. N. 27 E. 27 lks.  
a Beech 8 " " N. 29 W. 1.12 "

Land here first rate Clay Soil  
W. Oak, Sugar, Hick<sup>y</sup>, Ironw<sup>d</sup>, &c. Windfall  
grown up with Briars & Spice-bush

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Chs. lks.

N. 89.40' E. On S. Boundary of Sec. 35 T. 25 N. R. 3 E.

12.90 a Beech 8 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a Beech 12 in. diam. b. N. 66 E. 32 lks. &amp;

a Do 7 " " " N. 36 W. 38 "

55.59 an Elm 15 " "

80.00 Set post Cor. to Sec. 35 &amp; 36 pr. wh.

a Beech 12 in diam. b. N. 85 E. 50 lks. &amp;

a Do 10 " " " N. 85 W. 49 "

Land well firr rate. mostly  
Old Windfall - grown up with  
Briers, thorns, Vines &c

N. 89.40' E. On S. Boundary of Sec. 36 T. 25 N. R. 3 E.

8.50 a Beech 12 in. diam

40.00 Set 2<sup>nd</sup> Sec. post pr. wh.

a Beech 8 in. diam. b. N. 40 E. 30 lks. &amp;

a Do 10 " " " N. 44 1/2 W. 40 "

41.00 Near Windfall S. E. &amp; N. W.

42.00 Dry Bed of Stream 8 lks. wide c. Northwly

46.50 Do Do 8 " " " do

52.00 a Sugar 18 in. diam.

52.50 a Road N. &amp; S.

70.35 a Stream 10 lks. wide c. Northwly

80.00 Set post Cor. to Towns 24 & 25 North  
Ranges 3 & 4 East pr. wh.

a Beech 12 in. diam. b. N. 45 W. 76 lks.

a Do 15 " " " N. 71 E. 55 "

Interspersed Random 8.63% of post

Land gently rolling firr  
rate - Beech, Sugar, Ironwood, Gynm,  
Elm, Ash, &c - Windfall grown up with  
Thorns, Briers & vines. Oct. 28, 1846.

Surveyed by John Mullitt

Aspy, Surveyor



T. 24 N. R. 3 E. 2<sup>11a</sup> Mer. Indiana.

cho. lks.

## West Boundary.

Var. 4.30' East

- North On E. Boundary, of Sec. 36. T. 24 N. R. 2 E.  
 11.32 a Beech 12 in. diam.  
 29.14 a L<sup>o</sup> 7 " "  
 32.27 a L<sup>o</sup> 9 " "  
 37.64 a L<sup>o</sup> 30 " "  
 38.50 an Indian Trail Cr.  
 40.00 Set 2<sup>d</sup> Sec. post p. wh.  
 a Beech 22 in. diam. & 29 W. 40 lks.  
 a L<sup>o</sup> 7 " " " N. 32 W. 22 "  
 46.62 a Sugar 21 " "  
 71.30 Over River 1- Cr.  
 74.83 a Buckeye 7 in. diam. & Creek 10 on right  
 77.00 Enter Swamp. Cr.  
 78.00 Leave same  
 79.01 a Sugar 30 in. diam.  
 80.00 Set post Cor. to Sec. 25 & 36 p. wh.  
 No bearings given

Land gently rolling  
 fine state. Timber Beech, Sugar,  
 Ash, Elm, Walnut, Buckeye &  
 Angth. Spruce, Paw-Paw &c.

- 
- North On E. Boundary, of Sec. 25. T. 24 N. R. 2 E.  
 1.17 a B. Ash 11 in. diam.  
 28.06 a Beech 24 " "  
 36.30 a Poplar 40 " "  
 40.00 Set 2<sup>d</sup> Sec. post which  
 a Beech 13 in. diam. & 62 W. 30 lks. dis.  
 a L<sup>o</sup> 9 " " " N. 42 W. 26 " "  
 43.42 a Sugar 29 " "  
 66.54 a B. Ash 13 " "  
 73.84 a Beech 10 " "  
 80.00 Set post Cor. to Sec. 24 & 25 p. wh.  
 a Beech 14 in. diam. & 58 W. 43 lks. dis.



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
Chs. Hs.

a Beech 12 in. diam. ~~W~~ W 34 lks. &  
Level rich second rate land  
partly gently rolling - Timber Beech,  
Ash, Sugar, Elm, Lym, Walnut fr,  
White Spruce, P. Ash fr

North On E. Boundary of Sec. 24 T. 24 N. R. 2 E.

.07 a Sugar 24 in. diam.  
3.58 a W. Elm 24 " "  
19.24 a Beech 10 " "  
23.00 Enter Swamp N. E.  
27.09 a Maple 9 in. diam.  
32.00 Leave same  
35.00 Enter Swamp S. E. & N. E.  
38.30 Enter wet Prairie E. & W.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Willow 6 in. diam. ~~W~~ N 37 E. 1.84 lks.  
a Maple 10 " " " 4.37 W. 2.05 "  
51.00 Leave Prairie  
51.92 a Lym 20 in. diam.  
54.79 a Red Oak 22 " "  
62.86 a W. Elm 36 " "  
64.50 Enter Swamp E.  
66.00 Leave same  
74.32 a Poplar 36 in. diam.  
80.00 Set post Cor. to Sec. 13 & 24 p. wh.  
a Poplar 47 in. diam. ~~W~~ S 30 W. 3 lks. dis.  
a Sugar 10 " " " N 33 W. 27 " "  
Land same as last  
Flag grass in Prairie

North On E. Boundary of Sec. 13 T. 24 N. R. 2 E.

9.15 a Red Oak 34 in. diam.  
26.58 a Maple 11 " " Enter Swamp N. E.  
30.00 Enter Prairie W.  
39.00 Leave same

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,

Chs. lks.

- 39.36 a Jack-Oak 10 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post pr. wh.  
 a Hickory 5 in. diam. to S. 19 W. 14 lks.  
 a B. Ash 20 " " " N. 59 W. 58 "  
 40.30 a Buckeye 11 " "  
 50.50 Enter Prairie E. & W.  
 65.50 Leave same  
 73.00 Enter Swamp S. W.  
 77.00 Leave same  
 78.33 a W. Elm 24 in. diam.  
 80.00 Set post Cor. to Sec. 12 & 13 pr. wh.  
 a B. Ash 10 in. diam. to S. 8 W. 2 lks. &  
 a Gro. Ash 12 " " " N. 24 W. 16 "  
 Flat second rate Land -  
 Timber, Elm, Ash, Sugar, Hickory  
 Beech, Poplar &c. - Abundant Spruce &c -  
 Aug. 23. 1838

North Qn E. Boundary of Sec. 12, T. 24 N. R. 2 E.

- 1.75 a Poplar 36 in. diam.  
 5.59 a 20 40 " "  
 11.17 a Burr Oak 7 " "  
 21.72 a W. Elm 24 " "  
 40.00 Set 2<sup>nd</sup> Sec. post pr. wh.  
 a Sugar 8 in. diam. to N. 14 W. 39 lks. &  
 a 20 9 " " " S. 67 W. 35 "  
 49.00 Enter Swamp E. & W.  
 50.50 Leave same  
 51.00 a 3 Pronged Maple 40 in. diam.  
 63.91 a Beech 24 in. diam.  
 71.50 Enter Swamp W.  
 73.50 Leave same  
 78.50 a Poplar 22 in. diam.  
 80.00 Set post Cor. to Sec. 1 & 12 pr. wh.  
 a Beech 13 in. diam. to N. 4 W. 39 lks. &  
 a 20 8 " " " S. 34 W. 38 "

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

## Land same as last

North On E. Boundary of Sec. 1. T. 24 N. R. 2 E.  
 9.84 a Lym 20 in. diam.  
 17.62 a Beech 11 " "  
 24.89 a Ho 12 " "  
 26.00 Enter Swamp W.  
 28.50 Leave same  
 34.08 a Poplar 30 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p.w.h.  
 a B. Ash 24 in. diam. to N. 24 W. 43 lks.  
 a Beech 9 " " " 9.65 W. 31 "  
 44.94 a Hickory 30 " "  
 56.50 Enter Swamp W.  
 61.00 Leave same  
 66.50 Enter Swamp W.  
 68.60 a Maple 8 in. diam.  
 70.00 Leave Swamp  
 80.11 Intersected N. Boundary 58 lks. E. of  
 Temp. post - where sd post Cor. to  
 Towns 24 & 25 N. Range 2 & 3 East p.w.h.  
 a Beech 20 in. diam. to 7.80 W. 40 lks.  
 a Ho 10 " " " N. 24 W. 68 "

Land same as last

Augt. 24, 1838

Surveyed by Arthur M. Blair Vanu  
 L. E. J. Surveyor

## Subdivision

Var. 450' E.  
 189.30 W. Betw<sup>4</sup> Secs. 25 & 36 fr. post on Range Line  
 5.00 Wet Land Extension, N. fr. 2 to 4 South  
 10.00 a W. Oak 24 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p.w.h.  
 a Beech 18 in. diam. to N. 67 W. 20 lks. &

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
cho. lks.

- a Beech 8 in. diam. to East 2 lks. dir.  
50.00 a Sulphur Spring  
50.50 a Branch bears S. 6 lks. wide  
51.00 Abraham Nordikes improvement or  
Claim - Area Land becomes dry  
52.00 Through Centre of dwelling House  
63.00 Little improvement. The Sec. Line  
pass through the centre. contain 12. Acres -  
71.00 a Beech 18 in. diam.  
80.00 Set post Cor. to Sec. 25, 26, 35, 36 p. wh.  
a Beech 10 in. diam. to S. 20 E. 11 lks. x  
a Buckeye 10 " " " " N 9 E. 18 "

Land full second  
rate - Timber W. Oak, Gum, Hickory,  
Beech and Maple. Land  
full 5.00 dry level area good  
second rate - Timber W. Oak,  
Yup. Ash, Beech & Maple. - Unevenly,  
Ironwood, Spruce & Birch. Land last  
29.00 Level good 2<sup>nd</sup> Rate - more  
particularly South.

\* Last 45.00 on first half wet & marshy -

- 
- South Between Sections 35 & 36 Var. 4250' E.,  
Note by Surveyor. First commenced at the  
Temp. post for Sec. 35 & 36 and run N.  
80.00 - Thence E. & intersected Range Line  
2.00 S. of post - this confirmed me  
in the belief that the Temp. post had  
been moved further South - I then  
re-surveyed W. from post on Range Line  
10.00 a Beech 18 in. diam.  
22.00 State Road from Logansport to Kokomo -  
bears East & West  
34.00 a Beech 18 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. Lks.

an Elm 8 in. diam. N. 79 E. 18 lks. &  
a Beech 12 " " " N 63 W. 33 "

43.00 a L<sup>o</sup> 20 " "

44.50 Summit of Hill Elev. 45.

45.50 Foot of Hill & Low Bottom Land

50.10 Intersected N.W. Boundary Line of Maria  
Fosters Reserve - formerly Francis  
Lafontains

Established Cor. to Sec. 35 & 36 p. wh  
a Hackberry 24 in. diam. N. 87 E. 27 lks. &  
a Buckeye 12 " " " N. 87 W. 23 "

Measured along N.W. Boundary  
N. 44 W. 24.50 to a Stone marked  
N.W. Corner -

Note by Surveyor - There was a dispute  
with some of the settlers respecting the  
size of the fractions N. of the Reserve.  
This also made me come to the  
conclusion that the post on the Reserve Line  
might have been misplaced

Land first 47.00 Sec 2<sup>nd</sup>  
Rate Timber W. Oak, Beech, Elm &  
Hickory - Last 3.00 Low Bottom  
Land - rich soil. Subject to inundation

North Between Sections 25 & 26 Nor. 4.50' E.

1.00 Road bears Eastward to Mr. Nordikes

8.00 Wet Land Extends E. & W.

23.00 Pap. W. End of Maple Sup. Extends E.

30.00 a Lynn 24 in. diam.

38.00 Sec. wet Land to the E.

40.00 Sec 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. S. 80 W. 29 lks. &

a L<sup>o</sup> 12 " " " N. 79 E. 18 "

44.00 a L<sup>o</sup> 20 " "

52.50 John Nordikes Claim & Improvement



139.

T. 24 N. R. 3 E, 2<sup>nd</sup> Mer. Indiana.

ch. lks

- Extends E. & W. Contains 10 Acres  
 60.00 Pass through dwelling house and  
 clear improvement  
 77.00 Wet Land Extends E. & W.  
 80.00 Set from Cor. to Sec. 23, 24, 25, 26 p. wh.  
 a Pop. Ash 20 in. diam. B. N. 64 W. 52 (Ks.)  
 a Hickory 8 " " " N. 79 E. 32 "  
 Land first 8.00 dry land &  
 second rate - Timber W. Oak, Ash, Hickory,  
 & Beech. Next 28.00 wet 3<sup>rd</sup> rate - Timber  
 Pop. Ash, Maple, Hickory, & Beech.  
 Next 37.00 of last 2<sup>nd</sup> dry & low Land  
 second rate - Timber W. Oak, Ash, Beech,  
 & Poplar. Last 3.00 wet & marshy 3<sup>rd</sup>  
 rate - Timber Pop. Ash, Lymn & Maple,  
 Wmgt. Spruce & Beech. Nov. 18 - 1846

- 
- N. 89.30 E. On Random Betw. Sec. 24 & 25. Mer. 4.40 E.  
 35.00 Wet Point of dry Land  
 40.00 Set from Cor.  
 65.00 a Branch 7 lks wide bars S. W. and  
 5.00 North - wet Land or Swamp  
 70.00 Windfall bars S. E.  
 78.00 Clear Windfall  
 79.50 Intermittent E. Boundary 25 lks. N. of post.  
 Land first 35.00 wet third  
 rate, Timber Pop. Ash, Elm. & Maple,  
 Wmgt. P. Ash, Spruce & Beech. - Last  
 43.00 dry low Land - second rate -  
 Timber W. Oak, Lymn, Hickory, & Beech.  
 Wmgt. - Irono. Beech & occasionally Spruce

- 
- N. 89.40 W. On True Line betw. Sec. 24 & 25  
 5.93 a Pop. Elm 18 in. diam.  
 10.00 a Lymn 24 " "  
 31.00 a Do 12 " "

140.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

39.75 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 14 in. diam. \$83 E. 43 lks.  
 " 40 12 " " \$34 E. 38 "  
 51.00 a Maple 18 " "  
 59.87 Set post  
 69.13 a Sw. Ash 16 in. diam.  
 79.50 to Sec. Cor.

North Between Sections 23 &amp; 24 Cor. 4.55 E.

5.00 Clear wet Land  
 6.25 a W. Oak 18 in. diam.  
 7.00 Dry Land extends 20.00 East  
 17.50 Marsh Prairie line passes through  
 Center - at 20.00 post  
 27.00 Clear Marsh & interst dry Land p. the W.  
 35.40 a Lynn 12 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Poplar 40 in. diam. \$110 E. 12 lks. &  
 a Beech 12 " " \$37 E. 12 "  
 48.00 a Hickory 8 " "  
 57.03 a Buckeye 10 " "  
 60.00 a Swamp, bare E. W.  
 70.00 Dry Land  
 73.00 an Ash 10 in. diam.  
 80.00 Set post Cor. to Sec. 13. 14. 23. 24 p. wh.  
 a Lynn 12 in. diam. North 6 lks. &  
 a G. Ash 18 " " \$110 E. 31 "

Land from 27.00 wet & Marshy.  
 Timber Sw. Ash, Maple & Lynn.

Next 13.00 Set 2<sup>nd</sup> Rate - Timber Oak,  
 Ash, Beech, & Poplar. Next Beech & Iron.  
 Next 20.00 Set 10.00 p. 2<sup>nd</sup> Sec. post 2<sup>nd</sup>  
 Rate. E. W. of line - Timber W. Oak,  
 Ash, Lynn, & Gycumons. Under south  
 Side, Beech, & Ironwood.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,

chs. lks.

N. 89.30 E. On Random Betw<sup>th</sup> Sec. 13 & 24 Var. 4.40' E.

22.00 Wet Marshy Land

40.00 Set Temp<sup>y</sup>. post

50.00 Clear Marshy Land to the S.

70.00 Marshy Land

79.60 Interrupted E. Boundary 35 lks. S. of post  
Land first 22.00 - Last 2<sup>nd</sup>

Rate - Timber W. Oak, Beech, and  
Sycamore - Next 2000 - and last 2<sup>nd</sup>  
Same quality of soil & timber - Marsh  
Land poor - Timber Sup. Ash, Lym.  
& Maple - & coarse Prairie grass

N. 89.35 W. On True Line betw<sup>th</sup> Sec. 13 & 24

19.93 an Ash 18 in. diam.

26.14 a Lym 12 " "

39.80 Set 2<sup>nd</sup> Sec. post p. 10h.

a Sup. Elm 24 in. diam. N. 45 E. 12 lks. x

a Maple 18 " " N. 37 W. 39 "

51.18 a Do 18 " "

73.00 a Sup. Ash 10 " "

79.60 to Sec. Cor.

North Between Sections 13 & 14 Var. 4.50' E.

1.56 a Sycamore 40 in. diam.

8.00 a G. Ash 6 in. diam.

24.00 a Marsh Prairie Extends E & W.

25.50 Clear Prairie

31.00 a Sup. Ash 12 in. diam.

\* 40.00 Set 2<sup>nd</sup> Sec. post p. 10h.

a Beech 12 in. diam. N. 70 E. 30 lks. dia.

a Do 12 " " " N. 28 W. 4 " "

43.00 a Lym 18 " "

72.46 a G. Ash 30 " "

78.50 Dry Land

\* 32.00 a Swamp Ash 12 in. diam.

T 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
cho. lks.

8000 Set post cor. to Sec. 11, 12, 13, 14 p. wh.  
a Pop. Ash 8 in. diam. to N. 15 E. 6 lks. &  
a R. Oak 6 " " " S. 12 W 18 "

Land firm 2400 Set 2<sup>nd</sup> rate  
Timber as before. Next 16.00 poor  
wet & Marshy. Tim. Pop. Ash. Maple,  
Syc. & Elm. The wet & Marshy Land  
on this mile is all covered  
with water, from six in. to one foot  
deep. Next 38.50 on Last 2<sup>nd</sup> poor  
wet & Marshy. coarse Prairie grass.  
Water from 6 in. to a foot deep. Timber  
Maple. Pop. Ash. & Syc. W. g. P. Ash

189.30' E. On Random Betw. Sec. 12 & 13. Var. 4° 40' E.

15.00 Marshy Land extends N. & S.

18.00 N. part of dry Land

36.00 Marshy Land

60.00 Fallen timber bars E. by S. E

70.00 Scar Fallen Timber & Marsh

75.00 Wet Land extends South

78.00 Dry Land

79.60 Intersected E. Boundary. 20 lks. S. of post

Land all that is dry.  
Set 2<sup>nd</sup> rate. Timber Oak. Ash,  
Poplar, Beech. - Undergrowth Hazel  
Beech. Spruce & Birch. In Marsh,  
& fallen timber poor Land. W. g. P. Ash,  
Birch, P. Ash. Spruce, Alder &c.

189.20' W. On True Line betw. Sec. 12 & 13

28.31 a Syc. 12 in. diam.

37.16 a W. Oak 12 " "

39.80 Set 2<sup>nd</sup> Sec. post p. wh.

a Sugar 12 in. diam. to N. 1 W. 19 lks. &

a Beech 18 " " " S. 1 E. 12 "



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

Chs. Mts.

55.04 a Beech 20 in. diam.  
79.60 to Sec. 6 or.

North Between Sections 11 & 12 Var. 4.50 E.

10.00 a Hick. Elm 12 in. diam

14.05 a Walnut 30 " "

22.50 a Red Oak 12 " "

34.00 Windfall bears S. E.

40.00 Set 2<sup>nd</sup> Sec. for p. wh.

a Beech 10 in. diam. N. 42 W. 25 N. &  
an Iron. 6 " " " 4. 4 E. 25 "

51.50 a Road bears N. E.

53.00 Clear Windfall. enlarges East

74.63 a Beech 12 in. diam

76.00 Lewis Scotts improvement, contains  
8 Aens. principally in the N. E. 2<sup>nd</sup> Sec. 11.

80.00 Set post Cor. to Sec. 1, 2, 11, 12 in a  
clearing from which

a Beech 18 in. diam. N. 14 E. 1. 24 N.

a Hick. 6 " " " 4. 44 W. 20 "

Land firm 4000 Set 2<sup>nd</sup> rate  
Timber W. Oak. G. Ash. Beech. Poplar. and  
Lym. - Ona. B. Beech. Spruce Iron.

The Windfall willows at it extends  
East - Last 4000 same kind of  
Land & timber

The face of the dry Land  
throughout this tier of Sec. is quite on  
a level with the wet Land & Marshes,  
as there is no perceptible ascent or  
descent

Nov 20 - 1846

N. 89.40 E. On Random Betw. Sec. 1 & 12 Var. 4.40 E.

1.00 Clear clearing

27.50 a Willow Swamp. bears N. W.

32.50 Clear No to the North.



T24 N. R. 3 E, 2<sup>nd</sup> Mer. Indiana  
chs. lks.

40.00 Set Term p. y. post

55.00 a Maple & Willow Swamp

65.00 Clear L<sup>o</sup>

80.00 Interscutia E. Boundary 5 lks. E. of post

Land first 27.50 gently rolling  
good second rate - and from 32.00 to  
55.00 same - Timber Oak, Poplar,  
G. Ash, Sym. Wngth, P. Ash, Hazel &  
Briers - Shop. poor Timber Maple - Wngth  
Shop. Willow, Flag & Prairie grass  
Occasionally

§89.39 W. On Tree Line bet<sup>o</sup> Sec. 1 & 12

22.13 a Maple 15 in. diam.

31.32 a Beech 10 " "

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. W. N. 2 1/2 E. 12 lks.

a L<sup>o</sup> 10 " " " 9. 10 1/2 E. 10 "

80.00 to Sec. Cor.

North Between Sections 1 & 2 Var. 450 E. Ran<sup>o</sup>

3.00 Clear clearing & Improvement

11.00 Wet Land bars E. & W.

12.00 Clear wet Land

32.00 a Road bars S. W.

77.30 a Branch 6 lks. wide co. N. 5 E.

78.34 Interscutia N. Boundary 2 lks. W. of post

Land first 2<sup>nd</sup> Rate - Tim.  
W. Oak, Poplar, Sym. & Beech. Wngth,  
Spruce & P. Ash - Scattering

The wet Land at 11.00 connects two  
Marshes Extending E. & W.

South Established Line bet<sup>o</sup> Sec. 1 & 2

13.19 a Beech 20 in. diam. { Beech 40 W. 10 lks.

38.34 Set 2<sup>nd</sup> Sec. post p. wh. { W. 6 lks. 10 1/2 E. 5 lks. "

1. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
Chs. Wks.

a Beech 18 in. diam. to N. 59 E. 26 Wks. &  
a do 8 " " " N. 77 W. 6 "  
78.34 to Sec. Cor. Nov. 21, 1846.

1. North Between Sections 34 & 35 Var. 4.50 E,  
1.15 Left Bank. of Wild Cat - Brass W.  
2.72 Interval Right Bank. low. subject to inundation  
12.00 Ascent of Hill. Elev. 30°  
15.00 Summit of Level table Land  
18.00 a Beech 24 in. diam.  
31.00 a Hickory 12 " "  
40.00 Set 2<sup>nd</sup> Sec. post mark.  
a Hickory 24 in. diam. to N. 15 W. 11 Wks. &  
an Iron. 8 " " " N. 87 E. 4 "  
64.00 County Road to Kokomo brass due E.  
72.15 a Beech 12 in. diam.  
76.00 a Road brass S. E.  
80.00 Set post Cor. to Secs. 26, 27, 34, 35 post mark.  
a Sycamore 24 in. diam. to N. 50 W. 17 Wks. &  
a Beech 20 " " " N. 80 E. 14 "

Land from Creek to foot of  
Hill. and from Summit to 2<sup>nd</sup> post here.  
second rate Timber W. Oak, Hickory, & Beech.  
Length. Beech & Ironwood

From 2<sup>nd</sup> post to Sec. Cor. Land  
well inclined to be well, poor 2<sup>nd</sup> rate Timber  
Oak, Beech, Sycamore, & Hickory,  
Length. as before -

N. 89.40 E. On Random Betw. Secs. 26 & 35 Var. 4.40 E,  
23.00 N. 400 Improvement belongs to Maria  
Hudson. and contains 8 Aers. and  
a small Hard Log House S.  
34.63 a Branch 6 Wks. wide brass S. E.  
48.50 a Road brass S. E.  
65.00 a Branch 8 Wks. wide co. S. E.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
cho. lks.

81.05 Intersected N. & S. Line 40 lks. S. of post  
Land first 4000 Line 2<sup>nd</sup> Rate  
Timber W. Oak, Ash, Beech & Sugar-  
Maple. Ironwood & Spruce  
Last 4000 Line same rate  
inclined to be wet Timber W. Oak,  
Ash, Beech, & Sugar, scattering  
Maple, thin Beech, Ironwood & Spruce

39.20 W. On true Line Btr. Sec. 26 & 35.  
32.37 a W. Oak 30 in. diam.  
40.52 Set 2<sup>nd</sup> Sec. post from pr. wh.  
a Beech 12 in. diam. N. 60 E. 6 lks. &  
a Sugar 24 " " " 9.68 W. 40 "  
41.00 a Beech 12 " "  
45.71 a do 18 " "  
81.05 to Sec. Cor.

North Between Sections 26 & 27 Var. 4.50 E.  
19.30 a Red Oak 18 in. diam.  
31.15 a Hickory Elm 18 " "  
40.00 Set 2<sup>nd</sup> Sec. post from pr. wh.  
a B. Ash 10 in. diam. N. 30 W. 40 lks.  
a Sycamore 36 " " " 9.36 W. 50 "  
41.00 Land more elevated & dry  
45.00 a Road bears S. E.  
50.47 a Beech 12 in. diam.  
65.00 Road from Logansport to Kokomo  
67.00 a Beech 12 in. diam.  
80.00 Set from Cor. to Sec. 22, 23, 26, 27, from wh.  
a Hickory 6 in. diam. N. 79 W. 8 lks.  
a do 18 " " " N. 45 E. 25 "  
Land first 4000 inclined to be  
wet 2<sup>nd</sup> rate. Tim. Oak, Ash, Beech, H. Elm &  
Sycamore. Thick growth of Spruce & Beech.  
Last 3000 Dry land 2<sup>nd</sup> rate Land

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
chs. lks.

Continues the same E & W. as far as obser-  
vation can be taken - Timber W. Oak,  
Beech, Lym. & Hickory. - Undergrowth  
Beech, Ironwood & Spruce, scattering

N 89° 40' E. Q 11. Rancelon Betw. Sec. 23 & 26. Var. 430' E.  
13.50 a Road bars South

65.00 Wet Land bars off N. W.

81.30 Interscutia N. & S. Line 20 lks. N. of front

Land firm 65.00 gently rolling  
2<sup>nd</sup> rate - Timber. Oak, Ash, Elm, Beech,  
Lym, Sycamore & Poplar. - Undergrowth  
Spruce, Beech, & Ironwood. Last 15.00  
Wet 2<sup>nd</sup> Rate - Timber Spruce, Ash, Elm,  
Maple & Sugar

N 89° 52' W. Q 11 True Line Betw. Sec. 23 & 26

11.13 a Hickory 24 in. diam.

31.18 a Lym 18 " "

40.65 Set 2<sup>nd</sup> Sec. from Spruce.

a Sycamore 30 in. diam. b. N. 37° W. 27 lks. &

an A. Elm 18 " " " 4.61 E. 28 "

54.19 a Beech 12 " "

71.05 a Hickory 18 " "

81.30 to Sec. Cor.

North Between Sections 22 & 23 Var. 450' E.

16.00 a Poplar 24 in. diam.

19.00 a Road bars S. E.

29.25 a Lym 10 in. diam.

35.03 a Beech 20 " "

40.00 Set 2<sup>nd</sup> Sec. from Spruce.

a G. Ash 18 in. diam. b. N 49° E. 2 lks. &

a Poplar in " " " 4.39 W. 23 "

50.00 Mikes Improvement This improvement  
lays almost altogether in the E of the



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

N. E. 2<sup>nd</sup> of Sec. 22 and contains 30  
acres of Clearings under fence with  
a hewed Log House - and has been  
transferred to John Cox

52.10 Pap E. end of House

65.00 Clear Improvement

67.00 E. end of Marsh Prairie

80.00 Set post Cor. to Sec. 14, 15, 22, 23<sup>rd</sup> p. wh.  
a Suf. Elm 8 in. diam. E. N. 78<sup>th</sup> W. 180 lks.  
a B. Oak 10 " " " N 46 W. 190 "

Land first 30.00 gently rolling  
good second rate Land Tim. Poplar,  
H. Ash, Beech, Walnut & Hickory.  
Width. Spruce scattering  
Last 30.00 2<sup>nd</sup> Rate - part  
inclined to be wet - (\* in Prairie)

N 89.40 E. On Random Betw<sup>t</sup> Sec. 14 & 23 Var. 450 E.12.00 Clear Marsh Prairie - and Road  
bars South

80.70 Intersected N. &amp; S. Line 28 lks. N. of post

First 12.00 Marsh 3<sup>rd</sup> Rate  
Last 68.70 Level 2<sup>nd</sup> Rate - Timber  
W. Oak, Beech, Elm, & Poplar. Width  
Beech, Hazel & Spruce

N 89.50 W. On True Line betw<sup>t</sup> Sec. 14 & 23

23.16 a Beech 24 in. diam.

40.35 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 18 in. diam. E. N 21 E. 21 lks. dis  
a Do 12 " " " S. 75 W. 11 " "

47.03 a Spruce 10 " "

53.09 a Beech 18 " "

80.70 1<sup>st</sup> Section Cor.

Nov. 21. 1846.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

ch. lks.

North Between Sections 14 & 15 Mar 5<sup>th</sup> E.

3.50 Clear Marsh Prairie

11.81 a W. Oak 18 in. diam.

15.00 a Road 200 E. of Line runs S. and  
fork of Road N.W. - 20.00 Set pole

32.19 a Beech 12 in. diam.

40.00 Set 2<sup>nd</sup> Sec. pole p. wh.a Beech 12 in. diam. 1<sup>st</sup> 18 ft. 4 1<sup>st</sup> 1<sup>st</sup> 1<sup>st</sup>

a Hickory 10 " " " N 10. 8 "

44.50 a Poplar 36 " " 60.00 Set pole

52.75 a Burr Oak 18 " "

64.00 a Maple Swamp. Extends S.W.

76.20 Swamp. Extends East

80.00 Set pole Cor. to Sec. 10. 11. 14. 15 p. wh.

a Maple 12 in. diam. 1<sup>st</sup> 14 ft. 20 lbs.

a Sup. Elm 8 " " North. 18 "

Land sold 2<sup>nd</sup> Rate Timber

W. Oak, G. Ash, Poplar, &amp; Beech. no length.

Land 20.00 p. 2<sup>nd</sup> pole Land 2<sup>nd</sup>

Rate Timber as before - Last 16.00 pole

Land Timber Sup. Ash, Maple &amp; Elm.

N. 89.50 E. On Random Betw. Sec. 11 &amp; 14 Mar. 4.50 E.

15.00 Clear Maple Swamp

23.00 a Road runs Southward

40.00 Set Swampy pole

74.00 Wet Marshy Land 50 wide Extends S.

80.30 Intersected N. &amp; S. Line at pole

Land first 59.00 Land second date  
first 15.00 & Last 6.00 Swamp - Any LandLand 2<sup>nd</sup> Rate - Timber Oak, Poplar,

Beech, &amp; G. Ash.

Undergrowth

Spruce &amp; P. Ash

S. 89.50 W. On Same Line Betw. Sec. 11 &amp; 14

18.43 a Beech 18 in. diam.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Ch. lks.

- 20.21 a 2<sup>nd</sup> post  
 32.10 a Poplar 36 in. diam.  
 40.15 4<sup>th</sup> Sec. 2<sup>nd</sup> Sec. post pr. wh.  
 a B. Ash 24 in. diam. b. 135 E. 29 lks. &  
 a Burr Oak 10 " " " 9.15 N. 32 "  
 67.00 a Maple 16 " "  
 80.30 to Sec. Cor.

North Between Sections 10 &amp; 11 Var. 4.50 E.

- 4.00 Clear Maple Swamp  
 17.64 a Poplar 12 in. diam.  
 20.00 a post 1/4 mile  
 32.50 W. end of Marsh & Brush Prairie extends  
 and widens out east  
 40.00 4<sup>th</sup> Sec. 2<sup>nd</sup> Sec. post pr. wh.  
 a Swamp Ash 10 in. diam. N. 9 E. 64 lks. &  
 a Red Oak 8 " " N. 16 W. 79 "  
 40.50 Clear Marsh Prairie  
 48.10 a G. Ash 10 in. diam.  
 52.00 a W. Oak 18 " "  
 65.00 Marsh & Brush Prairie b. L. E. impassable  
 Offset N. 1000 - Thence North  
 80.00 Sec. Cor. impassable - Continued on  
 Offset on line betw. Secs. 2 & 3 - This  
 Sec. Cor. was afterwards established  
 by going in on the Sec. -

Land 28.00 of first 4000 Lnd.  
 Second rate - Timber W. Oak, G. Ash, Birch,  
 & Poplar. Undergrowth, Beech, Spruce & P. Ash.

First 4000 & 600 Lnd. - Marshy, poor -  
 On last half, first 25.00 p. 2<sup>nd</sup> post  
 poor 2<sup>nd</sup> Rate - Timber G. Ash, Elm,  
 Hickory & Maple. - Undergrowth P. Ash &  
 Spruce - Last 15.00 impassable Marsh Prairie

Note see Random betw. Secs. 3 & 10 for this cor. -

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Chs. lks.

- 189.50 W. Between Sections 2 & 11 Var. 4.50 E.  
 8.00 Pay on S. side of House  
 9.00 Land improvement  
 12.50 Marsh & Brush Swamp  
 26.00 Land Swamp  
 40.35 Set 2<sup>nd</sup> Sec. post p. wh.  
 a G. Oak 18 in. diam. 4<sup>th</sup> N. 10 E. 36 lks. &  
 a W. Oak 24 " " " West 43 "  
 61.00 a Willow Marsh impassable  
 Offset North 10.00  
 Thence West 15.15  
 80.70 Intermittent Sec. Line betw. Sec. 2 & 3  
 Dry Land - Soil 2<sup>nd</sup> Rate - Timber  
 W. Oak, Ash, Gum, Maple, Undergrowth  
 Birch, Spruce & Beech - Swamp poor  
 Soft Willow, Flag & Grass

- North Between Sections 2 & 3 Var. 4.50 E.  
 On Offset Line N. 10.00 - Thence East  
 10.00 intermittent Sec. Line on N. Side of Prairie  
 15.00 Road cross S. W.  
 19.00 Pay E. end of Marsh Prairie  
 40.00 Set 2<sup>nd</sup> Sec. post  
 78.50 Intermittent Township Line 29 lks. E. of post  
 Cor. to Sec. 34 & 35. T. 25 N. R. 3 E.  
 Land well inclined to be wet  
 Second rate Timber Oak, Birch, Gum,  
 & Sycamore. Marsh Prairie poor Soil  
 Willow & Coarse Prairie grass.

- 4.12 E. Established Line Between Sec. 2 & 3  
 \* 10.00 a W. Oak 12 in. diam. { Birch 8.47 E. 36 lks. &  
 38.50 Set 2<sup>nd</sup> Sec. post p. wh. { W. Elm - 445 N. 10 "  
 an Elm 10 in. diam. 4<sup>th</sup> N. 35 W. 18 lks. ac.  
 a Hickory 8 " " " 4.47 E. 21 "  
 78.50 to Sec. Cor. in Marsh Prairie - Nov. 23. 1846.



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

North Between Sections 33 &amp; 34 Var. 450 E.

3.55 a Walnut 24 in. diam.

8.00 N. End of Improvement 50 lks. East & divided by Township Line 20.00  $\frac{1}{4}$  M. post

30.00 Road bears E. by N. E.

37.00 a Beech 10 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. E. East 12 lks. &amp;

" do 12 " " " West 34 "

43.00 a Branch 8 lks. wide co. S. W.

54.50 To Fapette improvement run through Middle of Farm. - this is improvement contains 15 aers. claims N.W. 2<sup>nd</sup> of 34

56.00 Pap on W. side of House

58.00 a Branch 10 lks. wide co. S. W.

58.50 Lean improvement

60.00 State Road from Logansport to Kokomo, and at  $\frac{3}{4}$  mile post

68.19 a Beech 18 in. diam.

80.00 Set post Cor. to Sec. 27, 28, 33 &amp; 34 p. wh.

" Gum 8 in. diam. E. N. 55 E. 40 lks. dis.

a G. Ash 12 " " " S. 80  $\frac{1}{2}$  W. 28 " "Land had got a 2<sup>nd</sup> Rate -  
Timber W. Oak, G. Ash, Beech & Gum.  
Height - Spec. Beech & Iron. scattering

N. 330 E. On Random Betw. Sec. 27 &amp; 34 Var. 450 E.

1.00 To John M. Brooks claim ... area  
improvement - contains 8 aers. - line  
pays through S. End of improvement  
claims S.W. 2<sup>nd</sup> of Sec. 27

12.00 Lean Improvement

26.00 a Branch 10 lks. wide co. S. W.

35.00 Samuel Henry's Improvement 1.00

N. of S. End - Claims S.E. 2<sup>nd</sup> of Sec. 27.

Improvement containing 9 aers. 1 aer. S. of line

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,

153.

ch. lks.

46.00 Clear Improvement  
80.43 Intersected N. & S. Line 49 lks. S. of post.  
Land gently rolling second rate.  
Timber W. Oak. Ash. Beech & Hickory.

149.06 W. On Tree Line bet<sup>h</sup> Sec. 27 & 34  
17.00 a. Branch 20 in. diam. 20 <sup>3</sup>/<sub>4</sub> M. post  
31.08 a. Hickory 12 " "  
40.21 Yel. 2<sup>nd</sup> Sec. first in file p. wh.  
a Hickory 20 in. diam. 6 <sup>3</sup>/<sub>4</sub> M. 50 lks. dir.  
No other tree near  
54.19 a W. Oak 24 in. diam  
80.43 to Sec. Cor.

North Between Sections 27 & 28 Var. 4<sup>50</sup>' E.  
.25 a Branch 4 lks. wide co. S. M.  
5.10 a Walnut 30 in. diam.  
19.70 a Hickory 18 " "  
20.00 Yel <sup>1</sup>/<sub>4</sub> M. post  
28.53 a Poplar 36 in. diam.  
40.00 Yel 2<sup>nd</sup> Sec. first p. wh.  
an S. Oak 8 in. diam. 6 <sup>1</sup>/<sub>4</sub> M. 17 lks. dir.  
a Hickory 12 " " " N. 55 W. 49 " "  
51.70 a Walnut 20 " "  
58.00 Swamp extends E. & W.  
60.00 <sup>3</sup>/<sub>4</sub> M. post  
65.00 Leave Swamp  
71.00 a Beech 12 in. diam  
80.00 Yel post Cor. to Sec. 21. 22 27. 28 p. wh.  
a Beech 12 in. diam 6 <sup>1</sup>/<sub>4</sub> M. 21 lks. &  
a 4<sup>th</sup> 8 " " " 9 <sup>3</sup>/<sub>4</sub> E. 28 "

Land first 58.00 line inclined  
to be wt 2<sup>nd</sup> rate. Timber W. Oak. Beech.  
Sym. Maple & Poplar. Here is a large Marsh  
or Pond extends through the Middle  
of Sec. 27 as laid down by Observation. also.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. Lks.

through Sec. 28.

Land last 15.00 gently rolling  
east of line good second rate - Timber  
Walnut, Poplar, Beech, Hickory, & Lym.

Thick Undergrowth of Spice, P. Ash, Beech &  
Ironw? Land W. of line wet

N. 89.30' E. On Random Betw. Sec. 22 & 27 Var. 450' E.  
26.50 a Road cross S. by S. E.  
40.00 Set Temp. post 59.00 Road to S. 15 E.  
81.50 Intersected by S. line 35 lks. S. of post

Land from 40.00 level 2<sup>nd</sup> Rate  
Timber Beech, Sugar, W. Oak, W. Elm.  
Last 40.00 - gently rolling 2<sup>nd</sup> Rate  
Timber as before - Undergrowth  
scattering Spice, Sugar, & Ironw?

N. 89.16' W. On True Line betw. Sec. 22 & 27

5.00 a Gray Ash 18 in. diam.  
15.00 a Beech 10 " "  
20.37 Set 3/4 111. post  
30.40 a Beech 13 in. diam.  
40.75 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 12 in. diam. S. 1 E. 34 lks. dis.  
a Do 10 " " N. 68 W. 23 " "  
60.12 1<sup>st</sup> 2<sup>nd</sup> post  
71.00 an Elm 15 in. diam.  
81.50 to Sec. Cor.

North Western Section 21 & 22 Var. 450' E.

9.40 a Beech 12 in. diam.  
20.00 Set post  
21.77 a Hickory 18 in. diam.  
33.40 a W. Oak 18 " "  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a B. Ash 10 in. diam. S. 56 1/2 W. 4 lks. & S

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

- a B. Ash 12 in. diam.  $\frac{1}{2}$  4656, 39 lks. dis.  
 40.75 a Hickory 18 " "  
 43.00 a Maple Swamp, trans E. & W.  
 50.00 Lean Swamp  
 59.50 a Road trans E. & W.  
 76.50 a Road trans E. to Claim  
 77.00 a Beech 12 in. diam  
 80.00 S. L. - post Cor. to Sec. 15, 16, 21, & 22 p. m. h.  
 a G. Ash 18 in. diam.  $\frac{1}{2}$  4681, 24 lks. dis.  
 a Do 8 " " " N. 73 E. 10 " "  
 First half mile - Land and  
 timber as before - Last 4000 Lvs  
 incline to be wet - Second rate -  
 Timber Maple, Sap. Ash & Spruce  
 Wych. Spruce & P. Ash - scattering

- N. 89.30' E. On Random Betw. Sec 15 & 22 Mar. 430' East  
 2.00 Marsh Prairie trans E. & W. water from  
 one to two feet deep  
 40.00 S. L. Dep. j. post  
 65.00 Lean Marsh Prairie  
 81.48 Interrupted N. Y. Line 32 lks. S. of post  
 Land on N. Y. side of Marsh  
 Prairie, but good 2<sup>nd</sup> Rate Timber  
 W. Oak, G. Ash, Spruce & Beech  
 Wych. Spruce & Birch -  
 Marsh Prairie poor soil - coarse  
 Prairie grass & Willow - Water slow  
 current west

- N. 89.15' W. On True Line Betw. Sec 15 & 22  
 11.63 a Spruce 12 in. diam  
 40.74 S. L. 2<sup>nd</sup> Sec. post p. m. h.  
 a Willow 6 in. diam.  $\frac{1}{2}$  N. 31 E. 20 lks. dis.  
 a Do 4 " " " N. 10 W. 18 " "  
 81.48 to Sec. Cor.



156.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,

ch. lks.

North Bottom Sections 15 & 16 Var. 4<sup>th</sup> East

50 Marsh Prairie

9.00 Lean Do

15.18 a Beech 18 in. diam

20.00 Set post

21.00 a Syc. 10 in. diam.

31.10 a Beech 12 " "

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

an Iron p. 6 in. diam. b. S. 42 E. 21 N. 40

a Beech 12 " " " N. 40 W. 31 "

46.65 a Hick. Elm 24 " "

59.00 a W. Oak 40 " "

60.00 Set post

65.00 to Maple Swamp Marsh E.

78.50 Lean Marsh Prairie

80.00 Set post Cor. to Sec. 9, 10, 15, 16 p. wh.

a Red Oak 22 in. diam. b. S. 17 W. 25 Mer. av.

a Do 10 " " " N. 64 W. 41 "

Land East 31.00 of first 46.00

Land good & rate. Open - Timber  
W. Oak, Ash, Poplar, Beech, & Sycamore.

Marsh Prairie Poor - Next

25.00 Land good 2<sup>nd</sup> Rate - Timber

W. Oak, Poplar, Syc. &amp; Beech

Wright's Spruce &amp; Beech - Last

13.00 poor - Nov. 24, 1846

Aug. 30<sup>th</sup> On Random Bottom Sec. 10 & 15 Var. 4<sup>th</sup> E.

3.00 Marsh Prairie near S. E.

13.50 Lean Prairie

18.00 a Road near S. E.

40.00 Set Temp. post

50.00 Pale Marsh Prairie near South

60.00 a Willow Swamp

71.00 a Maple Swamp

81.52 Antisecta p. &amp; S. Line 10 W. S. of post

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

157.

cks. lbs.

Land well inclined to be rock-  
second rate - Timber Soft. Ash, Elm, Beech,  
Maple & Hickory - Undergrowth. P. Ash.  
Ironwood & Spice - Land in Swamp  
and Marsh poor

189.25 1/4 Established Line betw. Sec. 10 & 15

20.00 a Red Elm 6 in. diam.

40.76 1/4 Sec. post p. rock

a Beech 22 in. diam. B. 92 1/2 E. 53 W. diam.

a Do 24 " " " N. 13 1/2 W. 50 " "

41.00 a Do 12 " "

81.52 to Sec. Cor.

North Between Sections 9 & 10 Var. 4.50 East

2.00 a Maple Swamp trees E. & W.

7.50 Scar. Do.

12.50 Road trees S. 60 W.

20.60 1/4 a post

24.75 a Beech 25 in. diam.

29.50 a Willow Swamp trees N. W.

34.50 Scar Willow Swamp.

40.00 1/4 Sec. post p. wh.

a Beech 16 in. diam. B. N. 6 W. 26 W. diam.

a Do 14 " " " S. 17 E. 24 " "

49.50 a Willow Pond trees N. W.

52.00 Scar. Do.

57.52 a Hickory 24 in. diam.

60.00 1/4 post

63.41 a Beech 10 in. diam.

80.00 1/4 post cor. to Sec. 3. 4. 9. 10. p. wh.

a Beech 22 in. diam. B. N. 22 E. 16 W. diam.

a Do 20 " " " S. 41 E. 11 " "

Land gently rolling good 2<sup>nd</sup> rate  
Timber W. Oak, Ash, Beech & Larch. All right. Beech  
Spice, P. Ash. Scattering - Marsh or Soft poor.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
chs. lks.

N. 89.30' E. On Random Betw. Sec. 3 & 10 Var. 4.30' E.  
68.50 a Road bears South.

Impassable Marsh Prairie - went  
to Sec. Cor. on Icey Established Corner.

81.26 to Secs. 2, 3, 10 & 11 p. wh.

a Sup. Ash 8 in. diam. B. N. 80 p. W. 15.00 dia

a Sup. Elm 10 " " " 186 p. W. 14.31 "

Land good level 2<sup>nd</sup> Rate -  
Timber W. Oak, Poplar, Beech, Sugar &  
Ironw. - Underth. Spice P. Ash, Ironw.  
and Beech. -

N. 89.30' W. Established Line betw. Sec. 3 & 10

3.20 a Sup. Elm 22 in. diam.

20.31 Set post

22.30 a Poplar 36 in. diam.

40.63 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Oak 50 in. diam. B. N. 10 p. E. 24 lks.

an Ironw. 8 " " " 183 W. 8 "

43.13 an S. Elm 16 " "

81.26 to Sec. Cor.

North Between Sections 3 & 4 Var. 4.50' E.

17.00 a Willow Pond north East

20.00 Clear Pond & Set post S. 10 p. 7.

21.50 Hay Road bears W. by N. W.

40.00 Set Transp. post

45.00 a Road bears S. W.

78.85 Intersected N. Boundary 12 lks. W. of post.

Cor. to Sec. 33 & 34 T. 25. N. R. 3 E.

Land fine 17.00 good 2<sup>nd</sup> Rate -  
Timber Beech, Sugar, Poplar & Hickory.

Underth. as before - Last 61.85 Land  
Level inclined to be wet - Timber and

Cor. to Underth. as before

Sec. 3 & 4 a Lym 22 in. diam. B. N. 19 p. E. 19 - Beech 12 lks. W. 25 lks.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

South On True Line betw. Sec. 3 &amp; 4

20.00 a Poplar 20 in. diam

37.00 a Beech 22 " "

38.85 Set 2<sup>nd</sup> Sec. post p. w. h.a Beech 10 in. diam.  $\frac{1}{2}$  S. 6 E. 7 lks. dis.

a Ho 12 " " " 26 W. 32 " "

78.85 to Sec. Cor. Nov. 26. 1846

North Between Sections 32 &amp; 33 Var. 4.50 E.

3.20 Wild Cat co. N.W. The Banks where  
the Sec. Line crosses are low and  
subject to be overflowed

5.00 Leave Wild Cat

10.82 a Sycamore 36 in. diam.

11.50 Wild Cat again co. N.E. Low Banks.

13.30 Leave Creek or Wild Cat

20.00 Set a post

22.00 Interset Left Bank of Wild Cat again

23.75 Leave Right Bank of Wild Cat Low  
Banks - Course N.E.

34.60 a Sycamore 40 in. diam.

35.50 Left Bank of Wild Cat  $\frac{1}{2}$  S. 20 E.

39.00 Leave Ho - Bank Low

40.00 Set 2<sup>nd</sup> Sec. post p. w. h.a Burr Oak 18 in. diam.  $\frac{1}{2}$  S. 66  $\frac{1}{2}$  W. 21 lks. dis.

a Cherry 16 " " " 3 E. 17 " "

49.50 Left Bank of Wild Cat  $\frac{1}{2}$  S. 30 W.

51.72 Leave Right Bank

52.00 Foot of Bluff. Elev. 50.

53.75 Summit

54.90 a Branch 6 lks. wide co. S.W.

60.00 a post

64.50 Tho. Longs Improvement & Claim in  
the N.W. 2<sup>nd</sup> of Sec. 3368.50 Leave improvement. West of the Line is  
claimed by Hugh Johnson



160.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
Ch. Lk.

- 73.67 a Beech 24 in. diam.  
 80.00 Established Cor. to Sec. 28, 29, 32, 33. p. wh.  
 a Beech 10 in. diam. N. 77 E. 15 lks. dis.  
 a Do 12 " " " 1.60 lks. 63 " "  
 Land Linc 2<sup>nd</sup> Rate - Timber  
 W. Oak, Beech & Hickory. - The Land from  
 Bluff to Creek is subject to inundation

East On Random Betw. Sec. 28 &amp; 33 Var. 4.40' E.

- 20.00 a post Temp. f.  
 40.00 Set Temp. f. post  
 42.00 a Branch C. lks. wide co. S. W.  
 53.00 Kirkpatrick's improvement & Claim  
 This improvement lies N. of the Sec. Line  
 being in the S. E. Q. of Sec. 28 and  
 contains 37 Acs. & a hewn Log House  
 73.00 Clear improvement  
 73.10 State Road bran N. & S.  
 79.00 Spring Run 8 lks. wide co. S. W.  
 79.84 Intinctia N. & S. Line 63 lks. S. of post  
 Land throughout this mile  
 gently rolling second rate Timber  
 Oak, Ash & Beech principally  
 and 4th Iron. & Beech scattering  
 The Land in general in this  
 Section of Country, is all very near the  
 same quality -

4.89.11 W. On True Line betw. Sec. 28 &amp; 33

- 19.96 Set post  
 39.92 Set 2<sup>nd</sup> Sec. post p. wh.  
 an Iron. 6 in. diam. N. 24 E. 14 lks. dis.  
 a Beech 12 " " " N. 20 E. 25 "  
 40.62 Do 18 " "  
 57.36 a Sugar 24 " "  
 59.96 Set post

24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

79.84 to Sec. Cor.

North Between Section 28 & 29 Var. 4.50 E.

3.25 a Road cross Eastward

5.03 a Hickory 20 in. diam.

13.50 a Road cross S. 40 E.

20.00 a Post

21.00 a Willow Pond north East

25.00 Lean Pond

38.00 a Branch 8 lks. wide co. West

40.00 S. L. 2<sup>nd</sup> Sec. post sp. wh.

a Beech 18 in. diam. B. S. 75 W. 16 lks. &

a Do 20 " " " N. 36 E. 26 "

45.00 a Branch 10 lks. wide co. S. W.

47.50 a Poplar 36 in. diam.

63.50 a Willow Pond extends east

71.00 Lean Pond

80.00 S. L. post Cor. to Sec. 20, 21, 28, 29 sp. wh.

a Beech 12 in. diam. B. S. 76 E. 26 lks. &

a Do 18 " " " N. 29 W. 17 "

Land throughout this 80.00

Land & inclined to be not poor 2<sup>nd</sup> rate

Timber Sugar, Ash, Gum, Beech,

and Hick. & Elm. - Undergrowth

Beech, & Ash, & P. Ash.

N. 89.30 E. On Random Betw. Sec. 21 & 28 Var. 4.50 E.

17.00 a Road cross S. 10 E.

40.00 S. L. Temp. post

79.96 Interrupted N. & S. Line 4 lks. S. of post

Land all this 79.96 inclined to be not second rate. Timber and Undergrowth as before

On this mile where the State Road Line there was no mark to be found

# T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Chs. lks

N 89.28' W. On True Line betw<sup>th</sup> Sec 21 & 28

19.99 Set post

39.98 Set 2<sup>nd</sup> Sec. post p. wch.

a W. Ash 16 in. diam. S. E. 28 lks. &amp;

a W. Elm 36 " " N 20 E. 20 "

56.00 a Hickory 18 " "

72.18 a Beech 21 " "

79.96 to Sec. Cor.

North Between Sections 20 &amp; 21 Var. 4.50' E.

4.18 a Sycamore 38 in. diam.

10.00 a Willow-Pond to N.W.

16.00 Clear Willow-Pond

20.00 Set post

37.00 a Road cross S. E.

45.00 Set 2<sup>nd</sup> Sec. post p. wch.

a Poplar 36 in. diam. N. 17 E. 27 lks. dis.

a Beech 10 " " S. 33 E. 21 " "

46.00 a Brush Prairie North N. E.

56.00 Clear Brush Prairie

59.60 a Hickory 10 in. diam.

65.00 a Road cross S. 60 W.

67.50 a Beech 16 in. diam.

80.00 Set post Cor. to Sec. 16, 17, 20, 21. p. wch.

a Maple 22 in. diam. N. 42 E. 40 lks.

a Spr. Ash 8 " " N. 74 W. 23 "

Land well & set post 2<sup>nd</sup> Sec.

Rate - Timber Oak, Spr. Ash, Maple,

and Beech. Undergrowth water

Beech, and P. Ash

N 89.30' E. On Random Betw<sup>th</sup> Sec 16 & 21 p. Var. 2.50' E.

19.00 a Road cross S. W.

31.50 A. Smiths improvement &amp; Claim

This improvement &amp; claim is in Sec. 16

&amp; contains 5 Acs. &amp; is altogether N. of Sec. Line

163.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

Ch. lks.

- 43.00 Clear S. E. Cor. of Improvement  
 49.50 Line paper along S. of Prairie  
 60.00 State Road from Logansport to  
 Kokomo bears South  
 62.00 Along South of J. L. Cox Improvement  
 in Marsh Prairie - This  
 improvement of J. Cox's lies mostly  
 on the North Side of the Marsh Prairie,  
 and contains 10 Acres - and is in the  
 S. E. 2<sup>nd</sup> of Sec. 16  
 72.50 Clear Marsh Prairie & improvement  
 79.78 Intersected by S. Line 2 lks. N. of post  
 Land inclined to be wet poor  
 second rate. Timber Water Elm, Hickory,  
 Elm, Maple & Birch. Length as before
- 

- 89.36 On Line of Sec. 16 & 21  
 5.00 a Water Elm 30 in. diam.  
 19.94 Set a post  
 39.89 Set 2<sup>nd</sup> Sec. post sp. wh.  
 a Red Oak 20 in. diam. S. 11<sup>th</sup> W. 17 lks. &  
 a W. Elm 12 " " " N. 7<sup>th</sup> W. 55 "  
 79.78 to Sec. Cor.
- 

- North Between Sections 16 & 17. Var. 4.50 to  
 3.75 a Red Oak 18 in. diam.  
 4.50 a Marsh Prairie extends East  
 20.00 Set a post  
 24.50 Clear Marsh Prairie  
 40.00 Set 2<sup>nd</sup> Sec. post sp. wh.  
 an Elm 24 in. diam. S. 11<sup>th</sup> W. 14 lks. &  
 a Do 16 " " " N. 7<sup>th</sup> E. 20 "  
 55.25 a Sycamore 40 " "  
 66.50 a Marsh Prairie bears E.  
 80.00 Post in Marsh Prairie Cor. to Section  
 S. 9. 16. & 17 from which



164.

T24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

a W. Elm 24 in. diam. E. N. 50 E. 84 lks. &amp;

a Do 24 " " " N. 12 W. 59 "

Land in timber land second  
Rate - Timber Oak, Sugar, Ash, Sycamore  
& Beech. - Undergrowth Spruce & P. Ash.Land in Marsh Prairie 2<sup>nd</sup> Rate -

Nov 27. 1846.

N. 89.40 E. On Random Betw. Sec. 9 &amp; 16. Var. 4.50 E.

33.50 Leave Marsh Prairie to the North

40.00 Set Temp. y. post

49.50 Marsh Prairie again

53.00 Leave Do to the North

65.50 a Road bears N. E.

80.00 Intersected N. &amp; P. Line at post

Land Soil second rate -  
Timber. Beech, Sugar, & Walnut -  
Undergrowth. P. Ash, Beech, & Ironwood -  
Marsh Prairie poor 2<sup>nd</sup> Rate Land.

N. 89.40 W. On Same Line Betw. Sec. 9 &amp; 16

19.88 a Red Oak 24 in. diam.

20.00 Set a post

24.55 a Walnut 10 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 10 in. diam. E. N. 35 W. 27 lks. dis.

a Do 10 " " " N. 50 E. 36 " "

43.50 a Hickory 26 " "

80.00 to Sec. Cor.

North Between Section 8 &amp; 9 Var. 4.50 E.

80 Leave Marsh Prairie

12.00 a W. Oak 16 in. diam.

15.00 Creek of Marsh Prairie

15.50 Leave Creek of Prairie

20.00 Set a post

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,

165.

ch. 166

- 24.00 a Red Oak 20 in. diam.  
 30.00 a Maple Swamp from Marsh Prairie  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Red Oak 20 in. diam. P. N. 6 1/2 W. 15 lbs. &  
 a Do 16 " " " S. 54 p. W. 16 "  
 48.00 Clear Maple Swamp  
 48.50 a Road bars W. - Hay Road  
 49.35 a Red Oak 12 in. diam.  
 58.50 a Willow Pond  
 72.50 Clear Do  
 73.70 a Sycamore 20 in. diam.  
 80.00 Set post Cor. to Sec. 4 & 5. 89. p. wh.  
 a Burr Oak 10 in. diam. W. 4 1/2 p. W. 41 lbs. &  
 a Hickory 10 " " " N. 24 p. E. 11 "  
 Land all this mile poor  
 Timber Oak, Maple & Beech  
 Marsh Prairie poor soil - water  
 from one to three feet deep

- 
- 189.406 On Random Pct. Sec. 4 & 9 Var. 4.50' E.  
 23.00 Marsh Prairie bars S. W.  
 25.50 Clear Marsh Prairie  
 29.50 Old Road bars N. & S.  
 40.00 Set Temp. post  
 63.00 Willow & Brush Pond bars N.  
 65.50 Clear Pond  
 80.40 Interrupted N. & S. Line 50 lbs. S. of post  
 Land low but 2<sup>nd</sup> Rate -  
 Timber Poplar, Beech, Elm & Sycamore  
 Marsh Prairie poor - coarse grass &  
 Willow - Water in Prairie from one  
 to two feet deep

- 
- 189.166 On True Line bet. Sec. 4 & 9  
 15.25 a W. Elm 18 in. diam. - 20.00 a post  
 40.20 Set 2<sup>nd</sup> Sec. post p. wh.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

a Poplar 36 in. diam. to S 70 E 76 lks. dis.  
 a W. Oak 36 " " " S 20 E 50 " "  
 49.00 a Do 20 " "  
 60.00 Set a post  
 65.00 a Beech 20 in. diam.  
 80.40 to Sec. Cor.

North Between Sections 4 &amp; 5 Range 150 E.

19.00 a Road bars West  
 21.50 vi. End of Marsh Prairie  
 31.50 Leave Do  
 44.00 Main Body of Marsh Prairie  
 79.35 Intersected N. Boundary 1.26 W. of post  
 Cor. to Sec. 32 & 33 T. 25 N. R. 3 E.

Timbered Land in first 44.00  
 Soil inclined to be wet. Second rate -  
 Timber Oak, Poplar, Beech, Gum, Maple  
 & Ash. Indigo Spice & P. Ash

Land in Marsh Prairie poor  
 second rate water from one to two feet  
 deep - Coarse Prairie grass. Willow  
 and Red Brins

S. 54 W On True Line bet<sup>h</sup> Sec. 4 & 5  
 a Cottonwood 10 in. diam S 10 W 17.46 dis.  
 No other tree near.

39.35 Set 2<sup>nd</sup> Sec. post p. w. h.  
 a W. Oak 24 in. diam. to N 59 E 19 lks.  
 an Ironw. 8 " " " S 70 W 22 "  
 61.00 a Poplar 36 " "  
 79.35 to Sec. Cor. Nov. 28 - 1846 -

North Between Sections 31 &amp; 32 Range 150 E.

1.21 a Burr Oak 40 in. diam.  
 2.00 a Road bars N. by S. W.  
 3.77 Ascent of Bluff Elev<sup>n</sup> 45°

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana <sup>167.</sup>

chs. lks.

- 5.00 Summit of Bluff S. E.  
 5.50 a Road cross N. E.  
 20.00 Yet a post  
 21.50 a Beech 20 in. diam.  
 37.14 a Grey Ash 14 " "  
 40.00 Yet 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 12 in. diam. N. 45 E. 29 lks. dia.  
 a Do 20 " " " N. 34 W. 16 " "

70.00 Low wil ground

- 80.00 Yet post Cor. to Sec. 29. 30. 31. 32 p. wh.  
 a Maple 18 in. diam. N. 24 W. 25 lks. x  
 a W. Elm 12 " " " 4.75 E. 30 "

Land first 3.37 Low Bottom Land  
 second rate Land from Summit of Bluff  
 to 70.00 Low second rate. Timber  
 W. Oak, Poplar, Beech, Lyrn & Ash -  
 Last 10.00 poor & wil Tim. Syc. Ash,  
 Maple, Lyrn & Gycamore - Undergth.  
 P. Ash & Beech

N. 89.30 E. On Random Betw. Sec. 29 & 32 N. 45 E.

- 5.00 Low wil Prairie  
 20.00 a Road cross N. 40 W.  
 51.00 a Branch 5 lks. wide co. S.  
 67.25 a Do 5 " " " S.  
 80.80 Intersected by S. Line 30 lks. N. of post

First 5.00 Low wil Land - Soil  
 and timber as before Last 75.80 Low  
 Land - dry second rate - Timber P. Oak  
 Poplar, Lyrn, Beech, P. Ash, & Maple,  
 Scattering - Undergth. Spruce, Beech,  
 Homewood & P. Ash

N. 89.13 W. On True Line betw. Sec. 29 & 32

- 44.5 a W. Elm 30 in. diam.  
 15.43 a Poplar 36 " "



168.

T. 24 N. R. 3 E, 2<sup>nd</sup> Mer. Indiana,

ch. lks.

40.40 Set 2<sup>d</sup> Sec. post p. wh.  
 a W. Elm 36 in. diam. W. N. 39 E. 44 lks. &  
 a Ho 30 " " " 437 W. 27 "  
 45.93 a Beech 14 " "  
 65.00 a Lym 18 " "  
 80.80 to Sec. Cor.

N. 89.40' E. On Random Betw<sup>2</sup> Sec. 30 & 31 Var. 4.30' E.

6.00 Clear wt Land

40.00 Set Temp. post

46.00 a Road cross N.W.

82.00 a Creek 18 lks. wide co. South

87.20 Intersected W. Boundary 5 lks. S. of post  
Cor. to Sec. 25 & 36 T. 24 N. R. 2 E.

First 6.00 Land wt Soil  
 poor - Timber Grop. Ash, Maple, Shell  
 Bark Hickory Lym, W. 81.20 all Low  
 & Low, second rate Tim. W. Oak, G. Ash  
 Hickory, W. Elm, Beech - Undergrowth,  
 P. Ash, W. Beech & Ironw.

N. 89.40' E. Established Line betw<sup>2</sup> Sec. 30 & 31

16.21 a Sugar 14 in. diam } Beech 12 N. 43 E. 29 lks.

47.20 Set 2<sup>d</sup> Sec. post p. wh. } Ho 12 N. 12 E. 15 "

a Beech 12 in. diam. W. 68 E. 11.5 lks. &amp;

a Ho 16 " " " 1.6 E. 10 "

54.30 a Hickory 18 " "

87.20 to Sec. Cor.

North Between Section, 29 &amp; 30 Var. 4.50' E.

3.00 Clear wt Land

20.00 Set a post

22.20 a Poplar 36 in. diam.

26.46 a Beech 18 " "

40.00 Set 2<sup>d</sup> Sec. post p. wh.

a Beech 46 in. diam. N. 57 E. 85 lks. &amp;

169.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

a Beech 16 in. diam. to S 29 E. 38 lks. &  
 42.75 a Road bars N.W.  
 45.54 a W. Ash 8 in. diam.  
 65.50 a Willow Pond  
 69.50 Lean L<sup>o</sup>  
 71.00 a Road bars S 48 W.  
 80.00 Set post Cor. to Sec. 19, 20, 29, 30 from wh.  
 a Beech 14 in. diam. to S 34 E. 11 lks.  
 a L<sup>o</sup> 20 " " " N 76 1/2 W. 17 "  
 Land has 276.50 except Willow  
 Pond Set inclined to be well - poor  
 second rate. Timber Sycamore, G. Ash,  
 Beech, Maple & Gum, remainder  
 as before

---

N. 89.40 E. On Random Betw. Sec. 20 & 29 Var. 4.50 E.  
 8.00 a Road bars S.W.  
 40.55 Interrupted N. & S. Line 3 lks. S. of post  
 Land well & well second rate  
 Timber Spr. Ash, Maple & Beech.

---

N. 89.40 W. Established Line betw. Sec. 20 & 29  
 18.00 a Beech 20 in. diam.  
 20.13 Set a post  
 40.26 Set 2<sup>nd</sup> Sec. post from wh.  
 a Soft Ash - in. diam. to S 46 1/2 W. 16 lks.  
 a Hickory - " " " N 56 E. 19 "  
 53.09 a Beech 18 " "  
 60.00 Set a post  
 80.55 to Sec. Cor.

---

N. 89.40 W. On Random Betw. Sec. 19 & 30 Var. 4.50 E.  
 2.50 a Windfall bars S.W.  
 23.50 Lean L<sup>o</sup>  
 86.50 Interrupted W. Boundary at post Cor.  
 to Sec. 25 & 36 T. 24 N. R. 2 E.

170.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
chs. lks.

Land in fallen timber marshy  
and poor - Remainder of \$6.50 Live  
rather well second rate Timber W. Oak  
B. Oak, Poplar, Lym, Tup, Elm, & Hickory,  
Undr. P. Ash, & Beech.

N 89.40 E. Established Line betw. Secs. 19 & 20

24.57 a W. Elm 21 in. diam. } a Poplar 36 N 32 E 30, 70

46.50 Set 2<sup>nd</sup> Sec. post p. wh. } a Beech 12 N 17 E 6, 62

a Beech 13 in. diam. N. 63 E. 82 lks. dia.

a Do 16 " " " 4, 61 N. 30 " "

50.61 a Do 16 " "

86.50 to Sec. Cor. Nov. 30, 1846

North Between Sections 19 & 20 Var. 4.50 E.

10.10 Arm of Marsh from the West

19.00 Low Arm of Marsh

20.00 Set a post

23.00 a Maple 15 in. diam.

24.00 Marsh bars West

32.00 Low Marsh

35.85 a W. Hickory 18 in. diam.

37.67 a Red Oak 36 " "

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Red Elm 10 in. diam. N 34 E. 22 lks. dia.

an Ironwood 8 " " N 30 W. 20 "

62.31 a Poplar 36 " "

80.00 Set post Cor. to Secs. 17, 18, 19, 20 p. wh.

a Beech 12 in. diam. N 43 E. 24 lks. dia.

a Do 10 " " N 20 W. 6 "

Land Live inclined to be wet  
Open 2<sup>nd</sup> rate - Tim. Sycamore, Beech,  
Maple, & B. Oak. Undr. water Birch,  
and P. Ash - Scattering

N 89.40 E. On Random Betw. Secs. 17 & 20 Var. 4.50 E.

171

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

cho. Mks.

60.60 Marsh Prairie bars N. & S.  
 78.44 Lean Marsh Prairie  
 80.40 Intersected N. & S. Line 10 Mks. S. of post  
 Land sold 2<sup>nd</sup> Rate Timber  
 Beech, Maple, Hickory & Linn  
 Length. Spruce, P. Ash, & Beech.  
 Marsh Prairie poor. Water  
 from one to two feet deep

189.35 W. On True Line betw<sup>o</sup> Sec. 17 & 20  
 20.00 Set a post  
 33.00 a Linn 18 in. diam.  
 40.20 Set 2<sup>nd</sup> Sec. post p. wh.  
 a Beech 16 in. diam. to N. 22 E. 16 Mks. &  
 a W. Elm — " " " 4.42 N. 20 "  
 57.00 a Beech 20 " "  
 63.12 a Spr. Ash 20 " "  
 80.40 to Sec. Cor. Set 2<sup>nd</sup> 1846

189.40 W. On Random Betw<sup>o</sup> Sec. 18 & 19 Var. 4.50 E.  
 17.50 a Willow Swamp bars North of  
 East and S. of W.  
 24.00 Lean Willow Swamp.  
 53.00 Willow Swamp bars North & South  
 Current of Water South  
 55.00 Lean Swamp  
 86.27 Intersected W. Boundary 16 Mks. N. of post  
 Any Land through this mile  
 Last 25.00 gently rolling - all second  
 rate - Timber W. Oak, Ash, Poplar, and  
 Beech. no undergrowth  
 Sugar 20 1/2 Mks. 38. - to post N. 10 E. 3 Mks. dis.

189.35 E. On True Line betw<sup>o</sup> Sec. 18 & 19  
 3.00 a Beech 12 in. diam. 26.27 Set a post  
 36.06 a Linn 18 " "  
 44.27 Set 2<sup>nd</sup> Sec. post p. wh. (66.27 Set a post)



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.  
chs. lks.

a Beech 12 in. diam. b. N. 65 E. 7 lks. &  
a Ho 10 " " " N. 71 W. 33 "  
86.27 to Sec. Cor.

North Between Sections 17 & 18 Var. 4.30' E.

- 3.00 a Willow Swamp Extends E & W,  
being an Arm of Large Marsh  
Prairie. Flow Current of water West
- 17.00 Clear Willow Swamp.
- 20.00 Set a post
- 24.00 Willow & Marsh Prairie b. E. & W.
- 40.00 Set 2<sup>nd</sup> Sec. post in N.W. side of Marsh -  
a Prof. Ash 10 in. diam. b. N. 37 W. 72 lks. &  
a Maple - " " N. 85 W. 155 "
- 45.00 Clear Marsh Prairie
- 50.00 a Beech 20 in. diam.
- 53.00 Low Marshy Land Extends East  
to Mc. Honis Prairie
- 80.00 Set post Cor. to Sec. 7, 8, 17, 18, p. wh.  
a Prof. Ash 12 in. diam. b. S. 67 W. 78 lks. &  
a Ho 10 " " " N. 85 E. 23 "

Willow & Marsh Prairie, mentioned  
at 24.00 Extends E. & connects with the  
Large Marsh Prairie in Sec. 8 & 17

Land here poor second rate  
Timber Poplar, Hickory, and Beech -  
Marsh Prairie poor swamp Land  
poor - Timber Prof. Ash, Maple, & Syc-  
amore No undergrowth.

S. 89.40 W. Qu. Random bit to Sec. 7 & 18 Var. 4.50' E.

20.00 Dry Level Land

30.00 North part of Improvement & Claim  
This improvement and claim is owned  
by S. Albert & contains 8 acres and  
Extends South to Marsh Prairie

173.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

- 40.00 Set Temp. 4. post  
 41.50 Leave improvement  
 75.00 David Rush (Colonel Man) Claim  
 and Improvement. Line passes S. of  
 Improvement. Contains 8 Acs and  
 lies N. of Line Claims one Eighty Acs Lot  
 85.50 Intersected W. Boundary 3 lks. S. of post  
 Land Last 60.00 Set second  
 rate. Timber Poplar, Gynn. & Beech. —  
 In wet Land Maple, Lycamore & Asp. Ash.
- 

- N. 89.40 E. Established Line betw. Sec. 7 & 18  
 an Ash 10 in. diam. to N. 67 E. 78 lks. &  
 a Pop. Elm 20 " " " 4.44 E. 70 "  
 25.50 Set a post  
 31.16 a Beech 18 in. diam.  
 45.50 Set 2<sup>nd</sup> Sec. post in clearing sp. wh.  
 a Poplar 36 in. diam. to N. 17 E. 4 lks. dis.  
 a G. Ash 36 " " " 4.33 W. 8 " "  
 63.10 a Gynn 8 " "  
 71.00 a Pop. Ash 18 " "  
 85.50 to Sec. Cor.
- 

- N. 89.40 E. On Random Betw. Sec. 8 & 17 Var. 4.50 E.  
 19.00 McHones Marsh Prairie  
 80.49 Intersected N. & S. Line 2 lks. S. of post  
 Land first 19.00 wet poor  
 Timber Pop. Ash. Maple, & Gynn.  
 Prairie poor & Marshy - water from  
 one to two feet deep
- 

- N. 89.40 W. Established Line betw. Sec. 8 & 17  
 40.00 Set 2<sup>nd</sup> Sec. post sp. wh.  
 a W. Oak 8 in. diam. to N. 88 W. 19.51 dis.  
 a Beech 12 " " " 4.87 W. 20.08 "  
 73.30 a do 24 " "

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
chs. lks.

80.49 to Sec. Cor.

North Between Sections 7 & 8. Var. 4.50 E.

5.00 Clear wet marshy ground

7.32 a W. Elm 18 in. diam.

20.00 Set a post

30.00 to W. End of Marsh Prairie. and 5.00  
Outlet 30 lks wide & bars to another  
Marsh Prairie

40.00 North side of Prairie, and  
Set 2<sup>nd</sup> Sec. post p. wch.

a Maple 30 in. diam. to N. 8 W. 39 lks. &

a Do 12 " " " 4.76 W. 2 "

70.28 a W. Oak 30 " "

78.00 Outlet from Prairie bars N. 10 lks. wide

80.00 Set post Cor. to Sec. 5, 6, 7, & 8 p. wch.

a Sycamore 30 in. diam. to N. 49 E. 10 lks. &

a Burr Oak, 36 " " " 4.12 E. 15 "

Dry Land along first half  
mile. Set 2<sup>nd</sup> Rate Timber W. Oak,  
Beech, Lym. & Ash

Last half mile, inclined to  
be rolling good second rate. Open  
Timber Burr Oak, G. Ash, Poplar &  
Beech — Dec<sup>r</sup> 3<sup>rd</sup> 1846

89.40 W. On Random Butte Sec. 6 & 7. Var. 4.50 E.

1.00 Outlet 10 lks. wide co. N. W.

35.00 Ash & Elm Swamp

57.00 Clear Swamp

85.00 Interrupted W. Boundary. 45 lks. N. of post

Land first 35.00 and last  
23.00 Low inclined to be wet poor  
second rate. Ungr. P. Ash. scattering  
Sup. poor. Timber Sup. Ash, Elm & Maple.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

175.

Chs. 162

N89.22 E. Established Line Betw<sup>th</sup> Secs. 6 & 7

20.00 a Beech 30 in. diam.

45.00 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Elm 17 in. diam. to North 19 lks. &

a Sap. Ash 8 " " " 70 lks. 29 "

50.81 a Beech 12 " "

85.00 to Sec. Cor.

min  
5

N89.40 E. On Random Betw<sup>th</sup> Secs. 5 & 8 Var. 4.50 E.

50.00 Maria Lambert's Improvement and  
claim in the S. E. 2<sup>nd</sup> of Sec. No. 5.

30 Acre under fence

51.00 Sec. Line along S. side of Improvement

75.00 Clear Improvement

80.36 Intersusita N. S. Line 10 lks. S. of post

Land all level 2<sup>nd</sup> Rate

Timber Poplar, Sycam. & Beech.

No Undergrowth.

N89.45 W. Established Line Betw<sup>th</sup> Secs. 5 & 8

20.00 Set a post

24.19 a Beech 18 in. diam.

40.18 Set 2<sup>nd</sup> Sec. post p. wh.

a Poplar 24 in. diam. to S. 66 1/2 W. 4 lks. dir.

a Beech 16 " " " 67 1/2 E. 16 " "

61.00 a Hickory 20 " "

80.36 to Sec. Cor.

North Between Sections 5 & 6 Var. 4.50 E.

31.50 a Road cross West

43.50 a Branch b. lks. wide co. lks. Outlet  
from Large Marsh Prairie. Commonly  
called Bulls Prairie.

79.38 Intersusita N. Boundary 1.28 W. of post

Cor. to Secs. 31 & 32 T. 25 N. R. 3 E.

Land along this mile, Open



T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana,  
chs. lks.

Level second rate - Timber W. Oak.  
Poplar, Beech, & Ash, scattering  
Beech 16 4 46 E. 11 - Beech 10 5 6 1/2 N. 5 lks. dis

- 4.55 W. Established Line betw. Sec. 5 & 6.  
\* 39.38 1st 2<sup>nd</sup> Sec. from p. vol.  
a Beech 10 in. diam. 6. N. 6 1/2 W. 34 lks. dis.  
" do 15 " " " 4. 4 1/2 E. 35 " "  
42.08 a Beech 12 " "  
64.07 a Spruce 20 " "  
79.38 to Sec. 6 on Mer. 4<sup>th</sup> 1846

### Gen<sup>l</sup> Description

The Land in Township  
No. 24 N. R. No. 3 E. is generally level  
scarcely any perceptible difference in  
elevation, between the dry Land, wet  
Land & Swamps - The whole  
face of the Township, is elevated  
some 15. to 18 feet higher than the  
Beds of the Large Stream adjacent,  
or passing through it - Immediately  
from the Summit of the Bluff Banks  
of Mill-Cat. there is a slight descent  
of Land Northward, some two to three  
feet - Thence commences wet Lands  
Marshes and Ponds - The water in gen-  
eral forming no perceptible currents  
and so continues Northward until  
you approach Big Deer Creek, where  
the Land ascends to the Summit of the  
Bluffs or Banks; when this is a more  
abrupt descent of Elev<sup>n</sup>. - The gradual  
descent as you approach the large water  
courses, forms a Basin between, which  
is the great cause of the Large Marshes.

177

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana

ch. 66.

Ponds and wet Lands - there being scarcely any descent westward to carry off the water

The soil generally is composed of a Blue Clay to the depth of one foot to three - which prevents the water from sinking, and is generally second and third Rate Land

---

I Abner E. Van Nop  
Deputy Surveyor - do solemnly swear  
that in pursuance of a Contract  
dated the 20<sup>th</sup> day of May A.D. 1846  
with Lucius Lyon Surv. Genl. of  
the United States for Ohio - Indi-  
ana and Michigan - and  
in strict conformity to the Laws of the  
United States and Instructions of said  
Surveyor General - I have regularly  
surveyed, and subdivided with Section  
Township, T. 24 N. of Range, R. 3 E. East  
of the 2<sup>nd</sup> principal Meridian in the  
State of Indiana - And I do further  
solemnly swear that the foregoing are  
the true and original Field Notes  
of the said Survey and Sub-division  
Executed as aforesaid - Abner E. Van Nop  
Deputy Surveyor

Subscribed & sworn to before me this  
22<sup>nd</sup> day of Jan'y. 1847

Jas. W. Quinn

Justice of the Peace

Justice Minors

James Bell } Chairman

Andrew Howard - Marker

T. 24 N. R. 3 E. <sup>2<sup>nd</sup></sup> Mer. Indiana,  
ch. lks.

Survey Connecting Reservoir  
No. 6. to Francis LaFontain with the  
Public Surveys

Beginning at a post  
West of the Mouth of a Branch on the  
North side of Wild Cat - thence  
N. 17° E. Along E. Boundary.  
4.50 a Trace brass E.  
5.00 a Creek 50 lks. wide co. 4 E.  
19.00 a Spring Branch brass S. E.  
24.00 S. W. 200 Mineral Spring  
28.80 Set post N. E. Cor. p. wh.  
a Sugar 12 in. diam. to S. 12 W. 21 lks.  
a W. Oak 30 " " S. 72 W. 30 "

West Along North Boundary.  
7.50 a Beech 18 in. diam.  
40.00 Set post N. W. Cor. p. wh.  
a W. Oak 24 in. diam. to S. 4 E. 33 lks. x  
a Beech 12 " " S. 8 W. 40 "

South Along N. W. Boundary.  
1.62 Set post p. wh.  
a Beech 8 in. diam. to S. 30 E. 8 lks. dis.  
a Poplar 40 " " " S. 37 E. 62 " "

4.50 W. Along N. W. Boundary.  
18.00 a Beech 18 in. diam.  
33.00 a Creek 12 lks. wide co. South  
39.00 Set post - thence

4.47 1/2 W.  
17.00 Right Bank of Wild Cat N. W.  
19.50 Left Bank  
21.75 Left Bank again co. S. E.  
23.25 Right Bank -

179.

T. 24 N. R. 3 E. 2<sup>nd</sup> Mer. Indiana.

du. lbs.

49.00 Set post pr. wh.  
a Hickory 12 in. diam. @ 1.87 6.22 lbs. x  
a Beech 30 " " " 4.50 23 "

South Along West Boundary.

30.00 to the Right Bank of Wild Cat  
Set post - Mulberry 8 in. diam.

East Along South Boundary.

2.50 Left Bank of Wild Cat  
3.00 a Road cross N.Y.  
10.00 a Hickory 36 in. diam.  
18.00 a Creek course S.W.  
22.00 Creek again co. N.W.  
26.00 Creek again  
29.00 Cross and Lean Creek  
70.00 to North Creek  
85.25 Set post S.E. Cor. pr. wh.  
a Beech 12 in. diam. @ 1.30 6 lbs. dia.  
an Ash 24 " " " 4.70 18 " "

N. 10 E. Along E. Boundary.

31.00 to a post

N. 17 E. Along E. Boundary.

30.00 Left Bank of Wild Cat

31.20 to post on Right Bank, and the  
place of Beginning

Surveyed October 27<sup>th</sup> 1843 by

A. E. Van Nip

Surveyor.

One Section of Land.



I certify that the foregoing transcript of the  
field notes of Town 24 N. R. 3<sup>d</sup> E. 2<sup>d</sup> W. Indiana,  
has been compared with the original notes in this  
Office and found to be correct.

Surveyor General's Office  
Detroit Nov. 1. 1849

Lucius Lyon,  
Cm. Genl.